

AEC-NASA TECH BRIEF



AEC-NASA Tech Briefs describe innovations resulting from the research and development program of the U.S. AEC or from AEC-NASA interagency efforts. They are issued to encourage commercial application. Tech Briefs are published by NASA and may be purchased, at 15 cents each, from the Clearinghouse for Federal Scientific and Technical Information, Springfield, Virginia 22151.

Neutron Therapy of Cancer

There have been six recent reports on the application of neutrons to cancer therapy; they report on the biochemical and biophysical aspects of fast-neutron therapy, neutron-capture and neutron-conversion therapy with intermediate-range neutrons, the chemistry and physics of nuclides for neutron-capture therapy, the localization of dyes and azoproteins in tumors, and a computer program for neutron-gamma radio-biology. The series is highly comprehensive and reflects a significant advance in this area of research.

Three applications of neutrons to the problem of cancer therapy have been proposed: fast-neutron, neutron-capture, and neutron-conversion therapy. The latter two involve biochemical as well as biophysical problems. Workers on the biochemical and biophysical aspects have attempted to provide effective chemical agents by localization and distribution studies of various compounds in normal and tumorbearing animals. Studies have been implemented by synthesis of unavailable compounds, and by development of analytical techniques applicable to determination of the nuclides of interest: ⁶Li, ¹⁰B, and ²³⁵U. Attempts have been made also to ascertain the biological effectiveness of the intermediate-energy neutrons, proposed for therapeutic use, by straightforward studies of lethality in mice induced by monoenergetic neutrons in the range between 0.01 and 1.0 Mev.

The article on neutron-capture and neutron-conversion therapy with intermediate-range neutrons reports an examination of the parameters of systems involving intermediate-range neutrons. From theoretic studies it had been determined that beams of neutrons of intermediate energy (0.3-300 kev) would be more effective than thermal or epithermal neutrons in

destroying the neoplasm and leaving the normal tissue unharmed.

Boron-10 and ²³⁵U are determined to be the most promising nuclides for capture therapy. The chemical and physical characteristics of nuclides most pertinent to neutron-capture therapy have been studied and reported. The problem of poor neutron penetration of the tumor tissue had been solved by application of narrow beams of intermediate-energy neutrons, but problems of adequate localization and dose distribution required further study.

For effective neutron-capture therapy, it was necessary to know whether a massive dose of labeled protein would localize in a tumor; that is, a dose large enough to yield concentrations (in a tumor) of at least $3.5 \times 10^{-3} M$ of the nuclide undergoing neutron capture. Thus the localization of dyes and azoproteins in spontaneous or induced (but not implanted) tumors was studied. p-Aminophenyl arsonic acid was used as the protein carrier in the localization studies.

Many problems arise in theoretical and experimental neutron-gamma radiobiology that are difficult to handle by simple approximations, by transport theory, or even by experimental methods. Good computational methods were needed as adjuncts to experiment, not only to provide guides for good experimental design, but also to permit extrapolation from experimental results into regions difficult to examine experimentally. A newly devised computer program, based on the Monte Carlo method, permits great flexibility in problem and yields highly detailed information even at the microscopic level.

Also reported is investigatory development of a radiobiologically useful source of monoenergetic neutrons free of contaminating radiations and sufficiently

(continued overleaf)

This document was prepared under the sponsorship of the Atomic Energy Commission and/or the National Aeronautics and Space Administration. Neither the United States Government nor any person acting on behalf of the United States Government assumes any liability resulting from the use of the information contained in this document, or warrants that the use of any information, apparatus, method, or process disclosed in this document may not infringe privately owned rights.

flexible to afford rapid irradiation of typical biological objects at neutron energies from epithermal to 2 Mev.

Reference:

N. A. Frigerio, J. Shaw, H. N. Nellans, "Neutron therapy of cancer: Biochemical and biophysical aspects," in ANL-7409 (Argonne National Laboratory, 1967); N. A. Frigerio, "Neutron capture and conversion therapy with intermediate-range neutrons," and "The chemistry and physics of nuclides for neutron capture therapy," in ANL-7136 (Argonne National Laboratory, 1965); ——— and J. Shaw, "The localization of dyes and azoproteins in tumors," in ANL-7136; N. A. Frigerio and H. Branson, "BIM-130: A computer program for neutron-gamma radiobiology," in ANL-7409 (Argonne National Laboratory, 1967); N. A. Frigerio, D. L. Jordan, R. D. Hudnut, "Development of monoenergetic neutron sources for radiobiology," in ANL-6971 (Argonne National Laboratory, 1964).

Notes:

- 1. This information may interest all concerned with cancer or heart afflictions.
- 2. Inquiries may be directed to:
 Office of Industrial Cooperation
 Argonne National Laboratory
 9700 South Cass Avenue
 Argonne, Illinois 60439

Reference: B69-10203

Source: N. A. Frigerio, M. J. Shaw, and H. N. Nellans Biological and Medical Research Division (ARG-10310)

Patent status:

Inquiries concerning rights for commercial use of this innovation may be made to:

Mr. George H. Lee, Chief Chicago Patent Group U.S. Atomic Energy Commission Chicago Operations Office 9800 South Cass Avenue Argonne, Illinois 60439

Brief 69-10203 Category 04